



# The Dialight<sup>®</sup> Reliant<sup>™</sup> LED High Bay

EMEA & APAC

JULY 2025

# THE RUGGED AND EFFICIENT PERFORMANCE YOU TRUST, NOW FOR LIGHT INDUSTRIAL APPLICATIONS.

Designed for superior energy efficiency and value in warehouses, light manufacturing and other large indoor spaces. Built with the same uncompromising standards for reliability found in over 1 million Dialight High Bays already in place around the world, Reliant is backed by Dialight's signature 10-year warranty, among the industry's longest, best-in-class protections.

## FEATURES & BENEFITS

- CE / ENEC / RCM certified
- Up to 160 lm/W
- 10 year warranty
- -40°C to +55°C ambient temperature
- 11,000-36,000 lumens
- IP66 rated options
- All units controls enabled



All units are controls enabled and offer DALI 1.0/2.0 compatible. Design allows for smart sensor installation at the center

IP66 rated

Multiple optical patterns and lens options available

Replacement parts offered including lenses and surge protection

Easy to install with single-point mounting

Tool-less polymeric wiring box

Rugged aluminum base

Exclusive in-house designed power supply and thermal management system for optimal reliability & longevity

## EMEA

### EMEA

60 Petty France, London,  
SW1H 9EU  
Tel: +44 (0) 203 058 3540  
sales-emea@dialight.com

### Middle East

MF-24 Plot 125-0, Al Sayegh  
Building – Commercial,  
Port Saeed, Dubai, UAE  
Tel: +971 4 409 6962  
Fax: +971 4 409 6850  
sales-emea@dialight.com

## APAC

### Australia

108 Howe Street  
Osborne Park WA 6017  
Tel: +61(0)8 9244 7600  
sales@dialight.com.au

### Southeast Asia

56 Kallang Pudding Road  
#09 – 08 HH@Kallang  
Singapore 349328  
Tel: +65 6578 7271  
Fax: +65 6578 7150  
enquiry@dialight.com.sg

#### WARNING / DISCLAIMERS:

**Installation & secondary retention.** The use of this product without proper installation (including secondary retention / netting) and periodic inspections, could cause severe injury or death. Dialight recommends that all installations should use secondary retention / netting (appropriate to the installation environment) as applicable. Dialight products are intended for ultimate purchase, installation and operation by knowledgeable persons trained in the functional assessment, installation, use and maintenance of such products and all customers (including but not limited to end customers) are responsible for assessing the suitability of Dialight products for any given installation requirement. It is the exclusive responsibility of the contractor, installer and/or end-user to: (a) determine the suitability of the product for its intended application; and, (b) ensure that the product is safely installed (with secondary retention / netting as appropriate) and in compliance with all applicable laws and regulations.

**Product specifications & warranties.** All product information provided is, to the best of Dialight's knowledge, accurate as of the date of publication. All values and performance data herein are design or typical values when measured under laboratory conditions. The information herein is subject to change without notice. The products / software detailed herein are subject to applicable warranties and terms and conditions of use/purchase. Unless agreed otherwise in writing by an authorized representative of Dialight, Dialight does not represent that its products are fit for any particular purpose and accepts no liability for the installation and/or unauthorised use of its products. When ordering, refer to [www.dialight.com](http://www.dialight.com) for current versions of: (a) relevant product documentation (including relevant product data sheets); (b) Dialight terms and conditions of sale; and, (c) the relevant product warranties. To the extent that any contract is deemed formed between Dialight and the purchaser of Dialight products and/or an end-user, versions of documents available at [www.dialight.com](http://www.dialight.com) as at the date of sale shall be the versions incorporated therein. In the event of any discrepancy between this document and information provided at [www.dialight.com](http://www.dialight.com), the latter shall prevail.

**Exclusion of liability.** To the extent permissible under the relevant law, Dialight disclaims all liability for personal injury and/or other damage resulting from any dislodgment or other dislocation of its products. Whilst Dialight has used its reasonable endeavours to ensure the completeness and accuracy of information herein, Dialight does not assume any liability for damages resulting from use of this information or for any third-party representations made in relation to Dialight products.