


This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Dialight Corporation	Manufacturer:	Dialight de Mexico
Address:	1501 Route 34 South Farmingdale NJ, 07727	Address:	Calle Lirios S/N, Col. Carlos Pacheco Ensenada, B.C. Mexico 22830
Country:	USA	Country:	Mexico
Contact:	Devin Sikorski	Contact:	Angel Escamilla
Phone:	(732) 751-5835	Phone:	52-646-156-7080
FAX:	(732) 223-4832	FAX:	NA
Email:	dsikorski@dialight.com	Email:	Aescamilla@dialight.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Cortland, NY		

Control Number: 3081714 **Authorized by:** 
for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672


Standard(s): Standard For Luminaires For Use In Hazardous (Classified) Locations [UL 844:2012 Ed.13 +R:11Mar2016]
Electric Luminaires For Use In Hazardous Locations (R2014) [CSA C22.2#137:1981 Ed.1 +G1]

Product:	<p>Linear LED light that is 2' or 4' long Model/Hazardous Location Ratings: LxD Series: - Class I, Division 2 - Groups A,B,C,D - Class II, Division 2 - Groups F,G - Class III, Division 1 - Class III, Division 2</p> <p>LxF Series: - Class I, Division 2 - Groups A,B,C,D - Class II, Division 1 - Groups E,F,G - Class II, Division 2 - Groups F,G - Class III, Division 1 - Class III, Division 2</p> <p>Temperature Code: T5 for max ambient of 45°C for 2' and 4' models T4A for max ambient of 65°C for 2' and 4' models</p>
Models:	<p>LG, LH, LJ, or LK; followed by D or F; followed by 4 or 5; followed by M or W; followed by C, N, W, or Y; followed by 2; followed by one character; may be followed by D; followed by A, C, E, F, G, H, J, N, P, R, T, U, V, or W; followed by 7, N, U, or W; followed by T, S, or N; followed by G, Y, K, O, or W; followed by N.</p> <p>LG; followed by T or P; followed by one character; followed by 4; followed by one character; followed by P, D, or W; followed by two characters.</p>

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Dialight Corporation	Manufacturer:	Sanmina SCI Systems de Mexico
Address:	1501 Route 34 South Farmingdale NJ, 07727	Address:	Carretera Guadalajara - Chapala Km 15.5 No. 29, Tiajomalco de Zuniga, Jalisco, CP 45640
Country:	USA	Country:	Mexico
Contact:	Devin Sikorski	Contact:	Alejandro Rodriguez
Phone:	(732) 751-5835	Phone:	001-52-33-36689800 ext 9908
FAX:	(732) 223-4832	FAX:	
Email:	dsikorski@dialight.com	Email:	alejandro.rodriguez@sanmina.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Cortland, NY		

Control Number: 5003424 **Authorized by:** 
for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672


Standard(s):	Standard For Luminaires For Use In Hazardous (Classified) Locations [UL 844:2012 Ed.13 +R:11Mar2016] Electric Luminaires For Use In Hazardous Locations (R2014) [CSA C22.2#137:1981 Ed.1 +G1]
---------------------	--

Product:	<p>Linear LED light that is 2' or 4' long Model/Hazardous Location Ratings: LxD Series: - Class I, Division 2 - Groups A,B,C,D - Class II, Division 2 - Groups F,G - Class III, Division 1 - Class III, Division 2</p> <p>LxF Series: - Class I, Division 2 - Groups A,B,C,D - Class II, Division 1 - Groups E,F,G - Class II, Division 2 - Groups F,G - Class III, Division 1 - Class III, Division 2</p> <p>Temperature Code: T5 for max ambient of 45°C for 2' and 4' models T4A for max ambient of 65°C for 2' and 4' models</p>
Models:	<p>LG, LH, LJ, or LK; followed by D or F; followed by 4 or 5; followed by M or W; followed by C, N, W, or Y; followed by 2; followed by one character; may be followed by D; followed by A, C, E, F, G, H, J, N, P, R, T, U, V, or W; followed by 7, N, U, or W; followed by T, S, or N; followed by G, Y, K, O, or W; followed by N.</p> <p>LG; followed by T or P; followed by one character; followed by 4; followed by one character; followed by P, D, or W; followed by two characters.</p>

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Dialight Corporation	Manufacturer:	Dialight Penang SDN BHD
Address:	1501 Route 34 South Farmingdale NJ, 07727	Address:	2593, Jalan Perusahaan, Kawasan Perusahaan Perai, 13600 Perai Pulau Pinang
Country:	USA	Country:	Malaysia
Contact:	Devin Sikorski	Contact:	Maran Elangkathir
Phone:	(732) 751-5835	Phone:	604-390-9646
FAX:	(732) 223-4832	FAX:	604-386-6281
Email:	dsikorski@dialight.com	Email:	Melangkathir@dialight.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Cortland, NY		

Control Number: 5012184 **Authorized by:** 
for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Standard For Luminaires For Use In Hazardous (Classified) Locations [UL 844:2012 Ed.13 +R:11Mar2016] Electric Luminaires For Use In Hazardous Locations (R2014) [CSA C22.2#137:1981 Ed.1 +G1]
---------------------	--

Product:	<p>Linear LED light that is 2' or 4' long Model/Hazardous Location Ratings: LxD Series: - Class I, Division 2 - Groups A,B,C,D - Class II, Division 2 - Groups F,G - Class III, Division 1 - Class III, Division 2</p> <p>LxF Series: - Class I, Division 2 - Groups A,B,C,D - Class II, Division 1 - Groups E,F,G - Class II, Division 2 - Groups F,G - Class III, Division 1 - Class III, Division 2</p> <p>Temperature Code: T5 for max ambient of 45°C for 2' and 4' models T4A for max ambient of 65°C for 2' and 4' models</p>
Models:	<p>LG, LH, LJ, or LK; followed by D or F; followed by 4 or 5; followed by M or W; followed by C, N, W, or Y; followed by 2; followed by one character; may be followed by D; followed by A, C, E, F, G, H, J, N, P, R, T, U, V, or W; followed by 7, N, U, or W; followed by T, S, or N; followed by G, Y, K, O, or W; followed by N.</p> <p>LG; followed by T or P; followed by one character; followed by 4; followed by one character; followed by P, D, or W; followed by two characters.</p>