

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Dialight Corporation Manufacturer: Dialight de Mexico

Address:

1501 Route 34 South

Address:

Calle Lirios S/N, Col. Carlos Pacheco

Farmingdale, NJ 07727 USA Ensenada, B.C. 22830

Country: USA Country: Mexico

Contact: Michael Schaeffer Contact: Joanna Napoles

FAX: NA FAX: NA

Email: mschaeffer@dialight.com Email: jnapoles@dialight.com

Party Authorized To Apply Mark: Same as Manufacturer Report Issuing Office: Cortland, NY 13045

Control Number: 3081714 Authorized by:

for L. Matthew Snyder, Certification Manager



Intertek

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc. 545 East Algonquin Road, Arlington Heights, IL 60005 Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard For Luminaires For Use In Hazardous (Classified) Locations [UL 844:2012 Ed.13

Standard(s): +R:11Mar2016]

Electric Luminaires For Use In Hazardous Locations (R2014) [CSA C22.2#137:1981 Ed.1 +G1]



LED Luminaire:

For Use In: Class I Division 2 Groups A, B, C, D

Class I Zone 2 Group IIC

Class II Division 1 Groups E, F and G

Zone 20 and 21

Class II Division 2 Groups F and G

Zone 22

Class III Division 1 & 2

Ambient Temperature Range (Ta): -40 to +65°C

T-Code: T4A

Brand Name: Dialight Vigilant Area Light

AL followed by D, F; followed by 5, 7 or A; followed by A, B or W; followed by C, N; followed by 2; followed by 3, 4, 6, 7 or 9; followed by N or D; followed by A, B, C, F, G, H, K, M, N, P, S, U, V, W or Y; followed

by N or W; followed by N; followed by G; followed by N.

Models:

**Product:** 

HZ followed by D or F; followed by V, W, F, E, 9, 8, 5, 4, 3, 2, 1 or 0; followed by A, C or N; followed by 2; followed by A, C or N; may be followed by A, DR, DR3S, DRWOB, BZ, Org, C, F, G, T, K, M2, P, S45,

UMA, W01, W45 or CV34.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Dialight Corporation Manufacturer: Dialight Penang SDN BHD

Address:

1501 Route 34 South

Address:

Address:

No 1666, Lorong Perusahaan Maju 8,

Farmingdale, NJ 07727 USA Address. Perai, 13600 Pulau Penang,

Country:USACountry:MalaysiaContact:Michael SchaefferContact:Siva Veera

Phone: (732) 751-5859 Phone: 604-390-9646 ext. 120

FAX: NA FAX: NA

Email: mschaeffer@dialight.com Email: SVeera@dialight.com

**Party Authorized To Apply Mark:** Same as Manufacturer Report Issuing Office: Cortland, NY 13045

Control Number: 5012184 Authorized by:

for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc. 545 East Algonquin Road, Arlington Heights, IL 60005 Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard For Luminaires For Use In Hazardous (Classified) Locations [UL 844:2012 Ed.13

Standard(s): +R:11Mar2016]

Electric Luminaires For Use In Hazardous Locations (R2014) [CSA C22.2#137:1981 Ed.1 +G1]



LED Luminaire:

For Use In: Class I Division 2 Groups A, B, C, D

Class I Zone 2 Group IIC

Class II Division 1 Groups E, F and G

Zone 20 and 21

Product: Class II Division 2 Groups F and G

Zone 22

Class III Division 1 & 2

Ambient Temperature Range (Ta): -40 to +65°C

T-Code: T4A

Brand Name: Dialight Vigilant Area Light

by N or W; followed by N; followed by G; followed by N.

Models:

HZ followed by D or F; followed by V, W, F, E, 9, 8, 5, 4, 3, 2, 1 or 0; followed by A, C or N; followed by 2; followed by A, C or N; may be followed by A, DR, DR3S, DRWOB, BZ, Org, C, F, G, T, K, M2, P, S45,

UMA, W01, W45 or CV34.