

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may

Applicant:	Dialight Corporation	Manufacturer:	Dialight De Mexico S. De R.L. De C.V.
Address:	1501 Route 34 South Farmingdale, NJ 07727 USA	Address:	Calle Lirios S/N Colonia Carlos Pacheco Ensenada, B.C. Mexico B.C. Mexico 22830
Country:	USA	Country:	Mexico
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services NA, Inc., Cortland, NY		
Control Number:	<u>3081714</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Luminaires for Use in Hazardous (Classified) Locations [UL 844:2012 Ed.13+R:22Jul2020] Electric Luminaires for use in Hazardous Locations [CSA C22.2#137:2018 Ed.2]
---------------------	--

Product:	LED Floodlight Luminaire for use in: Class I, Division 2, Groups A, B, C, D Class I, Zone 2 Groups IIC Class II, Division I, Groups E,F,G Zone 20 and 21 Class II, Division 2, Groups F, G Zone 22 Class III Ambient Temperature -40°C to 65°C T-Code: T4 Ambient Temperature -40°C to 55°C T-Code: T4A
Brand Name:	Dialight, ProSite
Models:	F1 or F2; followed by D; may be followed by 4, 7 or N; followed by 2, 4, 5, 6, 7, F or J; followed by B, C, L, N or W; followed by 2, 5; followed by B, C, E, F, H, L or N; followed by D or J; followed by E, F or S; followed by N; followed by U or V; followed by G or Z; followed by N. F1 or F2; followed by F; may be followed by 4 or 7; followed by 2, 4, 5, 6, 7, F or J; followed by B, C, L, N or W; followed by 2, 5; followed by B, C, F or H; followed by D; followed by E or F; followed by N; followed by U or V; followed by G or Z; followed by N

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may

Applicant: Dialight Corporation

Manufacturer: Dialight Penang SDN BHD

Address: 1501 Route 34 South
Farmingdale, NJ 07727 USA

Address: No 1666, Lorong Perusahaan Maju 8
13600, Perai
Pulau Pinang

Country: USA

Country: Malaysia

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Intertek Testing Services NA, Inc., Cortland, NY

Control Number: 5012184

Authorized by: 
for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s): Luminaires for Use in Hazardous (Classified) Locations [UL 844:2012 Ed.13+R:22Jul2020]
Electric Luminaires for use in Hazardous Locations [CSA C22.2#137:2018 Ed.2]

Product:	LED Floodlight Luminaire for use in: Class I, Division 2, Groups A, B, C, D Class I, Zone 2 Groups IIC Class II, Division I, Groups E,F,G Zone 20 and 21 Class II, Division 2, Groups F, G Zone 22 Class III Ambient Temperature -40°C to 65°C T-Code: T4 Ambient Temperature -40°C to 55°C T-Code: T4A
Brand Name:	Dialight, ProSite
Models:	F1 or F2; followed by D; may be followed by 4, 7 or N; followed by 2, 4, 5, 6, 7, F or J; followed by B, C, L, N or W; followed by 2, 5; followed by B, C, E, F, H, L or N; followed by D or J; followed by E, F or S; followed by N; followed by U or V; followed by G or Z; followed by N. F1 or F2; followed by F; may be followed by 4 or 7; followed by 2, 4, 5, 6, 7, F or J; followed by B, C, L, N or W; followed by 2, 5; followed by B, C, F or H; followed by D; followed by E or F; followed by N; followed by U or V; followed by G or Z; followed by N