

TYPE-EXAMINATION CERTIFICATE

1. Type-examination Certificate (Module A)
2. Equipment or Protective System intended for use in potentially explosive atmospheres (Directive 2014/34/EU)



3. Type examination certificate Nr **ITS-I22ATEX29411 R.0**

4. **Product:** LED Flood Light

5. **Manufacturer:** Dialight Corporation

Applicant: Dialight Corporation

6. **Address:** 1501 Route 34 South
Farmingdale, New Jersey 07727
USA

Address: 1501 Route 34 South
Farmingdale, New Jersey 07727
USA

7. This product and any acceptable variation thereto are specified in the schedule to this certificate and therein referred to.
8. INTERTEK ITALIA S.p.A., certifies that the equipment or protective system has been found to comply with the essential Health and Safety Requirements relating to the design and construction of equipment and protective system intended for use in potentially explosive atmosphere, given in Annex II of the Directive.

The examination and tests results are recorded in confidential technical evaluation Intertek Report Nr. 104546439CRT-002

9. Compliance with the Essential Health and Safety Requirements has been assured by compliance with standards EN IEC 60079-0:2018 and EN IEC 60079-7:2015+A1:2018 except in respect of those requirements referred to at item 16 of the Schedule
10. If the sign X is placed after the certificate number, it indicates that the product is subject to Special Conditions for Safe Use specified in the schedule to this certificate.
11. This Type Examination Certificate relates only to the design and construction of the specified product. Further requirements of the Directive apply to the manufacturing process and supply of this product. These are not covered by this certificate.
12. The marking of the product shall include the following:



II 3 G
Ex ec IIC T4 Gc
-40°C ≤ Ta ≤ +65°C

15 March 2022

Certificate issue date


15 March 2022 104546439

Todd L. Relyea
Certification Officer
Intertek Italia S.p.A.



This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

Intertek Italia S.p.A. Via Miglioli, 2/A - 20063 Cernusco sul Naviglio, Milano - Italy



SCHEDULE

TYPE EXAMINATION CERTIFICATE NUMBER: ITS-I22ATEX29411 R.0

13. DESCRIPTION OF THE EQUIPMENT OR PROTECTIVE SYSTEM

LED Floodlight Models F1B7**2*D[E,F]**N, F2B7**2*D[E,F]**N for use in Group IIC, Zone2 locations.

14. DRAWINGS AND DOCUMENTS

TITLE	DOCUMENT Nr	LEVEL	DATE
PRODUCT LABEL, LO MO FLOOD LIGHT	9100FLM000700X	B	New Release
MHB CERTIFICATION LABEL, ATEX ZONE 2	9100FLM000800	B	New Release

Copies of the above listed documents are kept at Intertek Italia S.p.A. archive.

15. SPECIAL CONDITIONS FOR SAFE USE

The instructions shall provide guidance for the user to minimize the risk from electrostatic discharge. Where practicable, the equipment shall also be marked with the electrostatic charge warning.

Specific Conditions of Use include:

- Control of environmental humidity to minimize the generation of static electricity.
- Protection from direct airflow causing a charge transfer.
- Touch with an insulating object.
- Means to continuously drain off electrostatic charges

16. ESSENTIAL HEALTH AND SAFETY REQUIREMENTS

The relevant essential Health and Safety Requirements have been identified and assessed in Intertek Report Nr. 104546439CRT-002 dated 6 January, 2022

17. ROUTINE (FACTORY) TESTS

- Dielectric strength: Test voltage shall be $(1\ 000 + 2U)$ V r.m.s. or 1 500 V r.m.s., whichever is greater, where U is the working voltage.

18. DETAIL OF CERTIFICATE CHANGES

N/A